

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/675825.app.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:22
S2	1	(tunable optical (device or interface)) and (data or frame) near (acquir\$3 or tap\$4 or collect\$3 or gather\$3) same (test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3) and (serial interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/22 17:11
S3	4	(tunable optical (device or interface)) and (data or frame) near (acquir\$3 or tap\$4 or collect\$3 or gather\$3) same (test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/22 17:11
S4	21	(tunable near optical near (device or interface or port)) and (data or frame or signal) near3 (acquir\$3 or tap\$4 or collect\$3 or gather\$3 or detect\$3) same (test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/22 17:22
S5	14	(tunable near optical (device or interface or port)) and (data or frame or signal) near3 (acquir\$3 or tap\$4 or collect\$3 or gather\$3 or detect\$3) same (test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/22 17:22

S6	24	(tunable near3 optical near (device or interface or port)) and (data or frame or signal) near3 (acquir\$3 or tap\$4 or collect\$3 or gather\$3 or detect\$3) same (test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3) same (chang\$3 or adjust\$4 or modify\$3 or modifi\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/22 17:24
S7	7	S4 not S5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/22 17:30
S8	2	(6 8) and frame	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/22 17:33
S9	25	(tunable near3 optical near (device or interface or port or filter)) and (data or frame or signal) near3 (acquir\$3 or tap\$4 or collect\$3 or gather\$3 or detect\$3) same (test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3) same (chang\$3 or adjust\$4 or modify\$3 or modifi\$6) and (digital near convert\$3 or ADC)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/22 17:38
S10	2	(8 18) and frame with data	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/22 17:47

S11	2	(tunable near3 optical near (device or interface or port)) and digital near3 (data or frame or signal) with (acquir\$3 or tap\$4 or collect\$3 or gather\$3 or detect\$3) same (test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3) same (chang\$3 or adjust\$4 or modify\$3 or modifi\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/22 17:56
S12	9	(US-20020171884-\$ or US-20030058510-\$ or US-20030142293-\$). did. or (US-7068940-\$ or US-6917632-\$ or US-5956355-\$ or US-5513029-\$ or US-6751014-\$ or US-6697190-\$).did.	US-PGPUB; USPAT	ADJ	ON	2008/08/22 17:59
S13	7	S12 and feedback	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/22 17:59
S16	2	tunable near3 optical near3 (device or interface or port) same (test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3) and digit\$4 with (frame or data or bit or byte) with (acquir\$3 or tap\$4 or collect\$3 or gather\$3 or detect\$3) and (chang\$3 or adjust\$4 or modify\$3 or modifi\$6 or control\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 19:11

S17	7	tunable near3 optical near3 (device or interface or port) same (test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3 or control\$4) and digit\$4 with (frame or data or bit or byte) with (acquir\$3 or tap\$4 or collect\$3 or gather\$3 or detect\$3) and (chang\$3 or adjust\$4 or modify\$3 or modifi\$6 or control\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 19:12
S18	8	remote same optical near3 (device or interface or port) same (test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3 or control\$4) and digit\$4 with (frame or data or bit or byte or packet) with (acquir\$3 or tap\$4 or collect\$3 or gather\$3 or detect\$3) same (checksum OR CRC) and (chang\$3 or adjust\$4 or modify\$3 or modifi\$6 or control\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 19:17
S19	1	tunable near3 optical near3 (device or interface or port) same (analys\$2 or analyz\$5 or test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3) and (data or stream\$3 or byte or error or fault) with (captur\$3 or acquir\$3 or acquisition or tap\$4 or collect\$3 or gather\$3 or detect\$3) same (serial or peripheral) near3 (interface or card or port) same fram\$3 and (processor or micro (processor or controller) or control unit or controller or microporcessor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 10:29

S20	2	tunable near3 optical near3 (device or interface or port) same (analys\$2 or analyz\$5 or test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3) and (data or stream\$3 or byte or error or fault) with (captur\$3 or acquir\$3 or acquisition or tap\$4 or collect\$3 or gather\$3 or detect\$3) same (serial or peripheral) near3 (interface or card or port) same fram\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 10:29
S21	3	tunable near3 optical near3 (device or interface or port) same (analys\$2 or analyz\$5 or test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3) and (data or stream\$3 or byte or error or fault) with (captur\$3 or acquir\$3 or acquisition or tap\$4 or collect\$3 or gather\$3 or detect\$3) same fram\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 10:30
S22	16	tunable near3 optical near3 (device or interface or port or filter) same (analys\$2 or analyz\$5 or test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3) and (data or stream\$3 or byte or error or fault) with (captur\$3 or acquir\$3 or acquisition or tap\$4 or collect\$3 or gather\$3 or detect\$3) same fram\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 10:30

S25	58	optical near3 (device or interface or port) same (analys\$2 or analyz\$5 or test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3) and (data or stream\$3 or byte or error or fault) with (captur\$3 or acquir\$3 or acquisition or tap\$4 or collect\$3 or gather\$3 or detect\$3) same (fram\$3 or packet) same stream\$3 same digit\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 10:43
S26	0	(optical near3 (device or interface or port) or SONET) same electro optic same (analys\$2 or analyz\$5 or test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3) and (data or stream\$3 or byte or output or status or warning or error or fault or loss) with (captur\$3 or acquir\$3 or acquisition or tap\$4 or collect\$3 or gather\$3 or detect\$3) same (fram\$3 or packet) and digit\$6 and (SPI or serial near3 interface or UART or USB or I2C or SCSI) and (temperature or frequenc\$3 or power or current)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 13:12
S27	23	(optical near3 (device or interface or port) or SONET) same (analys\$2 or analyz\$5 or test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3) and (data or stream\$3 or byte or output or status or warning or error or fault or loss) same (captur\$3 or acquir\$3 or acquisition or tap\$4 or collect\$3 or gather\$3 or detect\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 13:17

		same (fram\$3 or packet) and analog near3 digit\$6 and (SPI or serial near3 interface or UART or USB or I2C or SCSI) and (temperature or frequenc\$3 or power or current) and electro optic				
S28	93	(optical near3 (device or interface or port) or SONET) same (analys\$2 or analyz\$5 or test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3) and (data or stream\$3 or byte or output or status or warning or error or fault or loss) same (captur\$3 or acquir\$3 or acquisition or tap\$4 or collect\$3 or gather\$3 or detect\$3) same (temperature or frequenc\$3 or power or current) and (fram\$3 or packet) same (SPI or serial near3 interface or UART or USB or I2C or SCSI) and analog near3 digit\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 13:19
S29	38	S28 and @rlad < "20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 13:20
S30	1	09/861002.app.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 14:38
S31	17	(tunable or configurable or reconfigurable) near3 optical same buffer\$3 same (data or bit or byte or stream)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 15:28

S32	58	optical near3 (device or interface or port) same (analys\$2 or analyz\$5 or test\$3 or monitor\$3 or diagnos\$2 or diagnostic\$3) and (data or stream\$3 or byte or error or fault) with (captur\$3 or acquir\$3 or acquisition or tap\$4 or collect\$3 or gather\$3 or detect\$3) same (fram\$3 or packet) same stream\$3 same digit\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/27 12:46
S33	17	S32 and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/27 12:46
S34	0	S32 and (709/236 370/401).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/27 12:47

8/ 27/ 2008 12:50:29 PM

C:\ Documents and Settings\ szhang\ My Documents\ Critical Data\ My Dockets\ 10675825
\ 10675825.w sp